

Articles

1974

[1] Problèmes d'évolution du second ordre associés à des opérateurs maximaux monotones, **C. R. Acad. Sci. Paris t. 278**, 1099-1101 (1974).

1976

[2] Équations d'évolution du second ordre associées à des opérateurs maximaux monotones, **Proc. Roy. Soc. Edinburgh 75 A**, 131-147 (1976).

1977

[3] Compacité de l'opérateur définissant la solution d'une équation d'évolution non homogène (*coll. P. Baras & J.C. Hassan*), **C. R. Acad. Sci. Paris t. 284**, 799-802 (1977).

1978

[4] Equations non linéaires avec conditions aux limites de type Sturm-Liouville, **An. Stiin. Univ. Iassy 24**, 277-287 (1978).

1979

[5] Solutions singulières d'équations elliptiques semi-linéaires, **C. R. Acad. Sci. Paris t. 288**, 867-869 (1979).

[6] Comportement asymptotique de la solution d'une équation d'évolution semi-linéaire de la chaleur (*coll. P. Baras*), **Comm. P.D.E. 4**, 795-807 (1979).

[7] Effets régularisants de semi-groupes non-linéaires dans des espaces de Banach, **Ann. Fac. Sci. Toulouse I**, 171-200 (1979).

1980

[8] Un exemple concernant la solution bornée de l'équation $\frac{d^2u}{dt^2} \in \partial\phi(u)$, **Monat. für Math. 89**, 57-67 (1980).

[9] Removable singularities of some nonlinear elliptic equations (*coll. H. Brezis*), **Arch. Rat. Mech. Anal. 75**, 1-6 (1980).

[10] Removable singularities of some strongly nonlinear elliptic equations (*coll. J.L. Vazquez*), **Manuscripta Math. 33**, 129-144 (1980).

1981

- [11] Asymptotic behaviour of the solutions of some nonlinear elliptic equations, in **Nonlinear Problems of Analysis in Geometry and Mechanics**, Pitman Ed. 198-208 (1980).
- [12] Singular solutions of some nonlinear elliptic equations, **Nonlinear Anal. T. M. & A** **5**, 225-242 (1981).
- [13] Singularités éliminables d'équations elliptiques non linéaires, **J. Diff. Equ.** **41**, 87-95 (1981).
- [14] Comportement asymptotique des solutions d'équations elliptiques semi-linéaires dans \mathbb{R}^N , **Ann. Mat. Pura Appl.** **127**, 25-50 (1981).

1982

- [15] Some remarks on the convergence of approximate solutions of some nonlinear evolution equations in Hilbert space, **Math. of Computation** **39**, 325-337 (1982).
- [16] Asymptotic behaviour of the solution of a semilinear parabolic equation (*coll. A. Gmira*), **Monat. für Math.** **94**, 299-311 (1982).
- [17] Equations d'évolution semi-linéaires du second ordre dan, **Rev. Roumaine Math. Pures Appl.** **27**, 95-123 (1982).
- [18] Singularités isotropes des solutions d'équations elliptiques non linéaires, **Portugaliae Math.** **41**, 88-102 (1982).
- [19] Comportement asymptotique de la solution d'une équation non linéaire de la chaleur dans \mathbb{R}^n (*coll. A. Gmira*), **C. R. Acad. Sci. Paris t.** **295**, 727-730 (1982).

1983

- [20] Weak weak-star compactness of dominated subsets of $L^1_\mu(E; L(F_\nu^\infty))$, **Houston J. Math.** **9**, 581-586 (1983).
- [21] Existence theory and qualitative properties of the solutions of some first order quasi-linear variational inequalities (*coll. J.I. Diaz*), **Indiana Univ. Math. J.** **32**, 319-361 (1983).
- [22] Compacité du support des solutions d'équations quasilinéaires elliptiques ou paraboliques (*coll. J.I. Diaz*), **C. R. Acad. Sci. Paris t.** **297**, 149-152 (1983).
- [23] Behaviour of solutions of nonlinear elliptic equations near a singularity of codimension 2, in **Contribution to Nonlinear Partial Differential Equations**, Pitman Ed. 274-284 (1984).

1984

- [24] Global behaviour and symmetry properties of singular solutions of nonlinear elliptic equations, **Ann. Fac. Sci. Toulouse** **6**, 1-31 (1984).
- [25] Large time behaviour of the solutions of semilinear parabolic equations in \mathbb{R}^N (*coll. A. Gmira*), **J. Diff. Equ.** **53**, 411-434 (1984).

[26] Singularities of some elliptic equations with an exponential nonlinearity (*coll. J.L. Vazquez*), **Math. Annalen** **269**, 119-135 (1984).

1985

[27] Isolated singularities of some semilinear elliptic equations (*coll. J.L. Vazquez*), **J. Diff. Equ.** **60**, 301-321 (1985).

[28] Local vanishing properties of solutions of elliptic and parabolic quasilinear equations (*coll. J.I. Diaz*), **Trans. Amer. Math. Soc.** **290**, 787-814 (1985).

[29] Singularités isolées de l'équation $\operatorname{div}(|\nabla u|^{p-2}\nabla u) = 0$ (*coll. S. Kichenassamy*), **C. R. Acad. Sci. Paris t.** **301**, 149-151 (1985).

1986

[30] Weak and strong singularities of nonlinear elliptic equations, **Proc. Symp. Pure Math.** **45**, 477-495 (1986).

[31] Singular solution of the p-Laplace equation (*coll. S. Kichenassamy*), **Math. Annalen** **275**, 599-615 (1986).

[32] Solutions singulières d'équations quasi-linéaires elliptiques (*coll. A. Friedman*), **C. R. Acad. Paris t.** **302**, 147-150 (1986).

[33] Singular solutions of some quasilinear elliptic equations (*coll. A. Friedman*), **Arch. Rat. Mech. Anal.** **96**, 359-387 (1986).

[34] Singularités anisotropes d'équations elliptiques semi-linéaires dans le plan (*coll. X.Y. Chen & H. Matano*), **C. R. Acad. Sci. Paris t.** **303**, 963-966 (1986).

1987

[35] Un résultat d'isotropie pour des singularités d'inéquations elliptiques non linéaires (*coll. Y. Richard*), **C. R. Acad. Sci. Paris t.** **304**, 423-426 (1987).

[36] Limit behaviour of singular solutions of some semilinear elliptic equations, **Banach Center Publ.** **19**, 311-350 (1987).

[37] Singularities of some degenerate elliptic equations, in **Contributions to Nonlinear Partial Differential Equations II**, Pitman Ed., 288-308 (1987).

[38] Singularities of some quasilinear equations, in **Nonlinear Diffusion Equations and their Equilibrium States**, **Math. Sci. Res. Inst. Series 13**, Springer-Verlag Ed., 335-365 (1987).

1988

[39] Bifurcation phenomena associated to the p-Laplace operator (*coll. M. Guedda*), **Trans. Amer. Math. Soc.** **310**, 419-431 (1988).

[40] Local and global properties of solutions of quasilinear elliptic equations (*coll. M. Guedda*), **J. Diff. Equ.** **76**, 159-189 (1988).

[41] Existence and uniqueness of the very singular solution of the porous media equation with absorption (*coll. S. Kamin*), **J. d'Analyse Math.** **51**, 245-258 (1988).

1989

[42] Quasilinear elliptic equation involving critical Sobolev exponents (*coll. M. Guedda*), **Nonlinear Anal. T. M. &A.** **13**, 879-902 (1989).

[43] Anisotropic singularities of nonlinear elliptic equations in \mathbb{R}^n (*coll. X.Y. Chen & H. Matano*), **J. Funct. Anal.** **83**, 50-97 (1989).

[44] Isotropic singularities of solutions of nonlinear elliptic inequalities (*coll. Y. Richard*), **Ann. Inst. H. Poincaré-Anal. Non Linéaire** **6**, 37-72 (1989).

[45] Geometric invariance of singular solutions of some partial differential equations, **Indiana Univ. Math. J.** **38**, 75-100 (1989).

[46] Source type positive solutions of nonlinear parabolic inequalities (*coll. I. Moutoussamy*), **Ann. Scu. Norm. Sup. Pisa** **16 Ser. IV**, 527-555 (1989).

[47] Groupe conforme de et propriétés limites des solutions de $-\Delta u = \lambda e^u$ sur S^2 (*coll. M.F. Bidaut-Véron*), **C. R. Acad. Sci. Paris t.** **308**, 493-498 (1989).

1991

[48] Boundary singularities of solutions of nonlinear elliptic equations (*coll. A. Gmira*), **Duke J. Math.** **64**, 271-324 (1991).

[49] Nonlinear elliptic equations on compact Riemannian manifolds and asymptotics of Emden equations (*coll. M.F. Bidaut-Véron*), **Inventiones Math.** **106**, 489-539 (1991).

[50] Local properties of stationary solutions of some nonlinear singular Schrödinger equations (*coll. B. Guersch*), **Rev. Mat. Iberoamericana** **7**, 65-114 (1991).

[51] Solutions positives d'équations elliptiques semi-linéaires sur des variétés riemanniennes compactes (*coll. J.L. Vazquez*), **C. R. Acad. Sci. Paris t.** **312**, 811-815 (1991).

1992

[52] Conformal asymptotics of the isothermal gas spheres equations, in **Progress in Nonlinear Differential Equations and their Applications** **7**, Birkhauser-verlag Ed., 537-560 (1992).

[53] Première valeur propre non nulle du p-laplacien et équations quasilinéaires elliptiques sur une variété riemannienne compacte, **C. R. Acad. Sci. Paris t.** **314**, 271-276 (1992).

[54] A geometric and analytic approach to some problems associated with Emden equations, **Banach Center Publ.** **27**, 499-509 (1992).

[55] Courbure scalaire et déformations conformes de l'espace hyperbolique (*coll. A. Ratto & M. Rigoli*), **C. R. Acad. Sci. Paris t.** **315**, 1153-1158 (1992).

[56] Semilinear elliptic equations with uniform blow-up on the boundary, **J. d'Analyse Math.** **59**, 231-250 (1992).

1993

- [57] Flat core properties associated to the p-Laplace operator (*coll. S. Kamin*), **Proc. Amer. Math. Soc.** **118**, 1079-1085 (1993).
- [58] Uniqueness of solutions with blow-up at the boundary for a class of nonlinear elliptic equations (*coll. M. Marcus*), **C. R. Acad. Sci. Paris** **317**, 559-563 (1993).

1994

- [59] Some existence and uniqueness results for solutions of some quasilinear elliptic equations on compact Riemannian manifolds, **Colloquia Math. Soc. Janos Bolyai Series** **62**, 317-352 (1991).
- [60] Integral representation of solutions of semilinear elliptic equations in cylinders and applications (*coll. M. Bouhar*), **Nonlinear Anal. T. M. & A.** **23**, 275-296 (1994).
- [61] Isolated singularities and asymptotic behaviour of the solutions of a semilinear heat equation (*coll. I. Moutoussamy*), **Asymptotic Anal.** **9**, 259-289 (1994).
- [62] Scalar curvature and conformal deformations of the hyperbolic space (*coll. A. Ratto & M. Rigoli*), **J. Funct. Anal.** **121**, 15-77 (1994).
- [63] A note on conformal immersions of complete Riemannian manifolds and the extensions of the Schwarz lemma (*coll. A. Ratto & M. Rigoli*), **Duke Math. J.** **74**, 223-236 (1994).
- [64] Courbure scalaire et déformations conformes des variétés riemanniennes non compactes (*coll. A. Ratto & M. Rigoli*), **C. R. Acad. Sci. Paris**, t. **318**, 665-670 (1994).

1995

- [65] Un théorème d'annulation pour des équations elliptiques non linéaires sur des variétés riemanniennes compactes (*coll. J.R. Licois*), **C. R. Acad. Sci. Paris** t. **320**, 1337-1342 (1995).
- [66] Equations elliptiques non linéaires singulières au bord dans des domaines non réguliers (*coll. J. Fabbri*), **C. R. Acad. Sci. Paris**, t. **320**, 941-946 (1995).
- [67] Trace au bord des solutions positives d'équations elliptiques non linéaires (*coll. M. Marcus*), **C. R. Acad. Sci. Paris**, t. **321**, 179-184 (1995).

1996

- [68] Different kinds of singular solutions of nonlinear parabolic equations (*coll. J. L. Vazquez*), in **Nonlinear Problems in Applied Mathematics**, Vol. in Honor of I. Stakgold, SIAM ed. 240-249 (1996).
- [69] Singular boundary value problems for nonlinear elliptic equations in non smooth domains (*coll. J. Fabbri*), **Advances in Diff. Equ.** **1**, 1075-1098 (1996).
- [70] Trace au bord des solutions positives d'équations elliptiques et paraboliques non linéaires. Résultats d'existence et d'unicité (*coll. M. Marcus*), **C. R. Acad. Sci. Paris, Série I**, t. **323** 603-608 (1996).

1997

- [71] Scalar curvature and conformal deformations of noncompact Riemannian manifolds (*coll. A. Ratto & M. Rigoli*), **Math. Zeitschrift** **225**, 395-426 (1997).
- [72] Asymptotic behaviour of solutions of some nonlinear parabolic or elliptic equations (*coll. V.A. Kondratiev*), **Asymptotic Analysis** **14**, 117-156 (1997).
- [73] Uniqueness and asymptotic behavior of solutions with boundary blow-up for a class of nonlinear elliptic equations (*coll. M. Marcus*), **Ann. I.H.P. Anal. Nonlinéaire** **14**, 237-275 (1997).
- [74] Trace au bord latéral des solutions positives d'équations paraboliques non-linéaires (*coll. M. Marcus*), **C. R. Acad. Sci. Paris**, t. **324**, 783-788 (1997).

1998

- [75] On some nonlinear conservative elliptic equations in cylinders (*coll. J.R. Licois*), **Ann. Scuola Norm. Sup. Pisa Ser IV**, Vol **XXVI**, 249-283 (1998).
- [76] The boundary trace of positive solutions of semilinear elliptic equations: the subcritical case (*coll. M. Marcus*), **Arch. Rat. Mech. An.** **144**, 201-231 (1998).
- [77] The boundary trace of positive solutions of semilinear elliptic equations: the supercritical case (*coll. M. Marcus*), **J. Math. Pures Appl.** **77**, 481-521 (1998).
- [78] The boundary trace of positive solutions of semilinear elliptic equations (*coll. M. Marcus*), **Proc. 3rd European Conf. Elliptic Parabolic Problems**, Pont-à-Mousson-1997. H. Amann ed., Adison Wesley, Longman, 230-241 (1998).

1999

- [79] The initial trace of positive solutions of semilinear parabolic equations (*coll. M. Marcus*), **Comm. in P.D.E.** **24**, 1445-1499 (1999).
- [80] Singularities in \mathbb{R}^2 for a semilinear elliptic equation with a non-Lipschitz nonlinearity (*coll. M.F. Bidaut-Véron, V. Galaktionov & Ph. Grillo*), **J. Diff. Equ.** **154**, 318-338 (1999).

2000

- [81] Boundary trace of the solutions of the Gaussian curvature equation (*coll. M. Grillo*), **Proc. Royal Soc. Edinburgh** **130A**, 527-560 (2000).
- [82] Source type solution for the one-dimensional diffusion-convection equation (*coll. A. Gmira & M. Guedda*), **NoDEA** **7**, 127-142 (2000).
- [83] Multiple positive solutions of some quasilinear Neumann problems (*coll. S. I. Pohozaev*), **Applicable Analysis** **74**, 363-390 (2000).
- [84] Blow-up results for nonlinear hyperbolic inequalities (*coll. S. I. Pohozaev*), **Ann. Scuola Norm. Sup. Pisa Ser IV** **29**, 393-420 (2000).
- [85] Nonexistence results of solutions of semilinear differential inequalities on the Heisenberg group (*coll. S. I. Pohozaev*), **Manuscripta Mathematica** **102**, 85-99 (2000).

2001

- [86] Long time vanishing property of solutions of sublinear parabolic equations and semi-classical limit of Schrödinger operators (*coll. Y. Belaud & B. Helffer*), **Funct Diff. Diff. Equ.** **8**, 35-48 (2001).
- [87] Generalized boundary value problems for nonlinear elliptic equations, **Elec. J. Diff. Equ., Conf.** **06**, 313-342 (2001).
- [88] Semilinear parabolic equations with measure boundary data and isolated singularities (*coll. M. Marcus*), **J. Analyse. Math** , 245-290 (2001).
- [89] Long time vanishing property of solutions of some semilinear parabolic equations (*coll. Y. Belaud & B. Helffer*), **Ann. I.H.P. Anal. Nonlinéaire** **18**, 43-68 (2001).
- [90] Removable singularities and boundary traces (*coll. M. Marcus*), **J. Math. Pures Appl.** **80**, 879-900 (2001).
- [91] Isolated boundary singularities of signed solutions of some nonlinear parabolic equations (*coll. M. Marcus*), **Adv. Diff. Equ.** **6**, 1281-1316 (2001).

2002

- [92] Asymptotics of solutions of quasilinear parabolic equations via the refined energy method and semi-classical limit of Schrödinger operators, **Lecture Notes in Pure and Applied Mathematics** **229**, A. Benkirane et A. Touzani eds., Marcel Dekker, 285-297 (2002).
- [93] Initial trace of solutions of some quasilinear equations with absorption (*coll. M.F. Bidaut-Véron & E. Chasseigne*), **J. Funct. Anal.** **193**, 140-205 (2002).
- [94] Singular p-harmonic functions and related quasilinear equations on manifolds, **Elec. J. Diff. Equ., Conf.** **8**, 133-154 (2002).
- [95] Initial trace of positive solutions to semilinear parabolic inequalities (*coll. M. Marcus*), **Adv. Nonlinear Studies** **2**, 395-436 (2002).

2003

- [96] The boundary trace and generalized boundary value problem for semilinear elliptic equations with a strong absorption (*coll. M. Marcus*), **Comm. Pure Appl. Math.** **56** (6), 689-731 (2003).
- [97] A dynamical system approach to the construction of singular solutions of some degenerate elliptic equations, (*coll. J. Huentutripay & M. Jazar*), **J. Diff. Equ.** **195**, 175-193 (2003) .
- [98] Existence and uniqueness results for large solutions of general nonlinear elliptic equations (*coll. M. Marcus*), **J. Evolution Equ.** **3** , 637-652 (2003).
- [99] Capacitary estimates of solutions of a class of nonlinear elliptic equations (*coll. M. Marcus*), **C. R. Acad. Sci. Paris Ser. I** **336**, 913-918 (2003).

2004

- [100] Some aspects of the boundary trace of solutions of semilinear elliptic inequalities, **J. Math. Sci.** **124** 5163-5175 (2004). Version en russe parue dans **Sovremennaia Matematika. Fundamentalnie Napravleniia** **1**, 56-68 (2003).
- [101] Boundary trace of positive solutions of nonlinear elliptic inequalities (*coll. M. Marcus*), **Ann. Scu. Norm. Sup. Pisa** **5**, 481-533 (2004).
- [102] Symmetry properties of solutions of semilinear elliptic equations in the plane (*coll. A. Porretta*), **Manuscripta Math.** **115**, 239-258 (2004).
- [103] Capacitary estimates of positive solutions of semilinear elliptic equations with absorption (*coll. M. Marcus*), **J. Eur. Math. Soc.** **6**, 483-527 (2004).

2006

- [104] Maximal solutions of semilinear elliptic equations with locally integrable forcing term (*coll. M. Marcus*), **Israel J. Math.** **152**, 333-348 (2006).
- [105] Boundary Harnack inequalities and a priori estimates of singular solutions of quasilinear equations (*coll. M. F. Bidaut-Véron & R. Borghol*), **Calc. Var. & Part. Dif. Equ.** **27**, 159-177 (2006).
- [106] Asymptotic behaviour for the gradient of large solutions to some nonlinear elliptic equations (*coll. A. Porretta*), **Nonlinear Adv. Studies** **6**, 351-378 (2006).
- [107] Symétrie des grandes solutions d'équations elliptiques semi linéaire (*coll. A. Porretta*), **C. R. Acad. Sci. Paris Ser. I** **342**, 483-487 (2006).
- [108] Symmetry of large solutions of nonlinear elliptic equations in a ball (*coll. A. Porretta*), **J. Funct. Anal.** **236**, 581-591 (2006).
- [109] Capacitary representations of positive solutions of semilinear parabolic equations (*coll. M. Marcus*), **C. R. Acad. Sci. Paris Ser. I** **342**, 655-660 (2006).
- [110] Boundary singularities of solutions of N -harmonic equations with absorption (*coll. R. Borghol*), **J. Funct. Anal.**, à paraître.
- [111] The precise boundary trace of positive solutions of the equation $\Delta u = u^q$ in the supercritical case (*coll. M. Marcus*), **Feitschrift in Honor of Haim Brezis**. American Mathematical Society, H. Berestycki, M. Bertsch, B. Peletier, L. Véron eds, à paraître.
- [112] Diffusion versus absorption in semilinear parabolic equations (*coll. A. Shishkov*), **C. R. Acad. Sci. Paris Ser. I** **342**, 569-574 (2006).
- [113] The balance between diffusion and absorption in semilinear parabolic equations (*coll. A. Shishkov*), **Rend. Lincei, Mat. Appl.**, à paraître.
- [114] Boundary singularities of N -harmonic functions (*coll. R. Borghol*), **Comm. Part. Dif. Equ.**, à paraître.
- [115] Boundary singularities of positive solutions of some nonlinear elliptic equations (*coll. M.F. Bidaut-Véron, A. C. Ponce*), **C. R. Acad. Sci. Paris**, à paraître..

Travaux soumis à publication

[116] Separable solutions to some quasilinear equations with source reaction (*coll. M. F. Bidaut-Véron & M. Jazar*), soumis.

Travaux en cours de rédaction ou en préparation

[117] Capacitary estimates of solutions of semilinear parabolic equations (*coll. M. Marcus*), fin de rédaction.

[118] Maximal solutions of semilinear elliptic equations in a general domain (*coll. M. Marcus*), fin de rédaction.

[119] Nonlinear boundary value problems related to harmonic functions (*coll. A. Ponce*), en préparation.

[120] Boundary singularities of a class of nonlinear elliptic equations (*coll. M. F. Bidaut-Véron & A. Ponce*), en préparation.

[121] Boundary singularities of solutions of non monotone elliptic equations (*coll. M. Marcus*), en préparation.

[122] The Lateral boundary trace of positive solutions of nonlinear parabolic equations (*coll. M. Marcus*), en préparation.

[123] Singular nonlinear boundary problems for semilinear elliptic equations in piecewise regular domains (*coll. M. Marcus*), en préparation.

Publication de livres ou de chapitres de livres

I- Parus

I-1 **Singularities of Solutions of Second Order Quasilinear Equations**

Pitman Research Notes in Mathematics Series **353**, pp 1-388 (1996) Addison-Wesley-Longman

I-2 **Elliptic Problems Involving Measures**

Chapitre 8, pp 593-712, dans l'ouvrage **Handbook of Differential Equations, Vol. 1. Stationary Partial Differential Equations** (2004) M. Chipot et P. Quittner eds., Elsevier Science.

II- En préparation

II-1- En collaboration avec M. Marcus

Generalized Boundary Value Problems for Semilinear Elliptic Equations

Publication prévue chez Birkhäuser-Verlag en 2007-2008.

II-2- Projet à l'initiative de World Scientific.

Local and Global Aspects of solutions of Quasilinear Elliptic Equations

Parution prévue en 2008-2009.

Travaux publiés localement ou non publiés

- [A1] Coercivité et propriétés régularisantes des semi-groupes non linéaires dans les espaces de Banach, **Publ. Math. Univ. Besançon**, p. 1-75 (1975-76).
- [A2] **Comportement asymptotique et singularités de solutions d'équations aux dérivées partielles non-linéaires**, Thèse de Doctorat d'État ès Sciences, p. 1-161, Université Paris 6 (1980).
- [A3] **Régularité des solutions d'équations elliptiques linéaires et quasilineaires du second ordre**, cours de troisième cycle, p. 1-232, Université de Tours (1985).
- [A4] Introduction to the non-linear trace theory and generalised boundary value problems, **MSRI Preprint Series 112**, p. 1-33 (1997).
- [A5] **Aspects mathématiques de la mécanique des fluides**, cours de troisième cycle, p. 1-103, Université de Tours (1998).
- [A6] A characterization of Besov spaces with negative exponents, (*coll. M. Marcus*), preprint Univ. Tours.
- [A7] Boundary trace of solutions of semilinear elliptic equalities and inequalities, **Rendiconti Accademia Lincei: Matematica e Applicazioni Ser. IV 15**, 301-314 (2004).
- [A8] Large solutions of elliptic equations with strong absorption, **Progress in Nonlinear Differential Equations and Their Applications 63**, 453-464, Birkhäuser Verlag Basel (2005).